## MONTGOMERY COLLEGE

## Department of Mathematics Rockville Campus

**MATH 182 - REVIEW PROBLEMS** 

1. State whether each of the following can be integrated by partial fractions (PF), integration by parts (PI), u-substitution (U), or none of these (N). You do not have to evaluate the integrals.

a. 
$$\int \frac{dx}{x^2 - 4}$$

b. 
$$\int \sqrt{\cos 2x} \, dx$$
 c. 
$$\int \frac{6x \, dx}{x^2 + 8}$$

$$c. \qquad \int \frac{6x \, dx}{x^2 + 8}$$

Integrate:

$$2. \qquad \int \frac{3}{\sqrt{kx}} dx$$

3. 
$$\int \frac{(5x+3)}{x^3 - 2x^2 - 3x} dx$$
 4.  $\int 5\sin(3x) dx$ 

$$4. \quad \int 5\sin(3x) \, dx$$

$$5. \qquad \int \frac{6}{\cos^2 3x} \, dx$$

$$6. \qquad \int \frac{x}{e^{x^2}} \, dx$$

7. 
$$\int \arctan x \, dx$$

8. 
$$\int \sin 2x \, \cos^4 2x \, dx$$
 9. 
$$\int \frac{\cos x \, dx}{1 - \sin x}$$

9. 
$$\int \frac{\cos x \, dx}{1 - \sin x}$$

10. 
$$\int \frac{2x^3 + x + 3}{x^2} dx$$

11. 
$$\int \left(I - e^{-x}\right)^2 dx$$

Integrate the following using the table of integrals on the inside rear book cover.

$$12. \qquad \int \frac{dx}{25 + 16x^2}$$

$$13. \qquad \int \cos^4 2x \, dx$$

$$14. \qquad \int \frac{1}{x\sqrt{3+9x^2}} dx$$

$$15. \qquad \int x^2 \cos 3x \, dx$$

16. Write 
$$\frac{-2x-6}{(x^2+3)(x-1)}$$
 as the sum of two partial fractions.

The velocity V at time t of a point moving along a coordinate line is  $V = te^{-3t}$  ft/sec. If the point is at the origin 17. of t = 0, find a formula for its position s at time t.

Food is placed in a freezer. After t hours, the temperature of the food is changing at a rate of  $R = 10e^{-0.2t}$ 18. where R is in degrees F/hr. How much has the temperature dropped in the first two hours?

19. a. Using the table below, show how to use n = 2 subintervals and trapezoids to approximate  $\int r(t)dt$ where r(t) is the population rate in thousands per year at a time t years after Jan. 1, 2009.

t	1	2	3	4	5
r(t)	3	1	2	2	4

b. What does the approximation in part (a) tell about the population? Be specific and include the correct units.

- 20. a. Give the correct four-decimal place approximation from a calculator program for  $\int_{-\infty}^{\infty} e^{-x^2} dx$ with 10 midpoint rectangles (M10).
  - b. Find the correct answer to four decimal places for  $\int_{0}^{4} e^{-x^2} dx$  with your calculator.

c. What is the error in the approximation for M10 to four decimal places in part a?

- Solve  $\frac{dy}{dt} = \frac{t(\sin(t^2))}{y^2}$  assuming  $y \ne 0$ . Express y in terms of t. 21.
- Solve  $\frac{dy}{dx} = 2xy$  where y(0) = 3 Express y in terms of x. 22.

Evaluate using L'Hopital's Rule or other analytical methods.

$$23. \qquad \lim_{x \to 0} \frac{\sin x - x \cos x}{x^3}$$

24. 
$$\lim_{x \to \infty} \frac{x^2 - 5}{2x^2 + 3x}$$

$$\lim_{x \to 0} \frac{\sin x - x \cos x}{x^3}$$
 24. 
$$\lim_{x \to \infty} \frac{x^2 - 5}{2x^2 + 3x}$$
 25. 
$$\lim_{x \to \infty} \frac{\sin\left(\frac{3}{x}\right)}{\frac{2}{x}}$$

- Tell why you cannot use L'Hopital's Rule to find  $\lim_{x\to 0^+} \frac{\cos x}{x}$ . 26.
  - Evaluate the limit in part a and give evidence to support your answer. b.

Evaluate each limit below and give evidence to support your answer.

$$27. \qquad \lim_{x \to \infty} \left( 3 - e^{2x} \right)$$

28. 
$$\lim_{x \to 1} x^{\frac{1}{x-1}}$$

Determine the convergence or divergence of each integral. If convergent, find the value.


29. 
$$\int_{-1}^{1} \frac{dx}{x^{2/3}}$$

$$30. \qquad \int_{-\infty}^{\infty} \frac{\ln x}{x} dx$$

$$31. \int_{0}^{\infty} \frac{\sin x}{e^{x}} dx$$

Find the volume of the solid formed when the region bounded by the x-axis and the curve  $y = 4 - x^2$  is revolved 32. about the x-axis.

- Write an integral equal to the arc length of  $y = x^2$  from (1,1) to (3,9). 33.
  - Approximate the arc length with a calculator program. b.
- Find the area of the region enclosed by  $y = x^2$  and y = x + 6. 34.
- If  $\int_{0}^{5} g(x) dx = 3$  find the average value of g(x) on [0,5]. 35.
- A spring has a natural length of 12 ft. A force of 80 lb stretches it to a length of 14 ft. Find the work done in 36. stretching it from a length of 15 ft. to a length of 16 ft.
- 37. A tank in the shape of an inverted cone contains some water. The tank has diameter 20 feet at the top and is 15 feet deep (See figure). The water is 8 feet deep and has density  $p = 62.5 \text{ lb/ft}^3$ . Write an integral that represents the work required to pump all the water over the top rim. Be sure to draw a picture showing how you are setting the problem up. Do not evaluate the integral.



- Let  $\frac{dy}{dx} = x + y^2$ . Draw the direction field tangents at the points (-2,1) and (3,1) on an *xy*-graph. Sketch a solution to  $\frac{dy}{dx} = x + y^2$  with y(1) = 0 by first drawing the slope field on your calculator. Then sketch a 38.
- 39. solution curve using the slope field.
- Consider the differential equation  $\frac{dy}{dx} = x 2y$ . Show how to use Euler's Method (without a calculator 40. program) to approximate y(2.3) by starting at (2,1) and using steps of  $\Delta x = 0.1$ .
- Let  $a_n = \frac{n+2}{2n-1}$ 41.
  - Write the first 4 terms of the sequence  $\{a_n\}_{n=1}^{\infty}$ a.
  - Does  $\{a_n\}_{n=1}^{\infty}$  have a limit? If so, find it. b.
  - Does  $\sum_{n=1}^{\infty} a_n$  converge or diverge? Give a reason for your answer.
- 42 100 g of a radioactive substance decays. After 10 days, 80 g remain. How much would remain after 14 days?

- A ball is dropped from a height of 40 ft. Each time it hits the floor, the ball rebounds to  $\frac{3}{4}$  of its previous 43. height. Find the total distance the ball travels.
- Determine the sum of  $\sum_{n=0}^{\infty} \frac{3}{2^{n+2}}$ 44.
- 45. Determine the convergence or divergence of the following series. Justify your answer.
- $\sum_{n=2}^{\infty} \frac{3n}{n! 2^{n+1}}$  b.  $\sum_{n=1}^{\infty} \frac{2n+1}{4n^2+n-1}$  c.  $\sum_{n=2}^{\infty} \frac{3}{n \sqrt[3]{\ln n}}$
- Determine if the series  $\sum_{n=1}^{\infty} \frac{(-1)^{n+1}(n+2)}{2n^2+2n}$  converges or diverges. Justify your answer. 46.
- Find a power series representation of  $\frac{3}{1+8r^3}$  and state its interval of convergence. 47.
- Determine the radius and interval of convergence of  $\sum_{n=1}^{\infty} \frac{(-1)^n 2^n (x+1)^n}{n3^n}.$ 48.
- Find the MacLaurin Series for  $\ln(1+x)$  and determine how many terms must be used in this series to find 49. ln 1.02 accurate to 7 decimal places.
- Let  $f(x) = \ln(x+1)$ . Find the Taylor Series for x near 0 by taking derivatives. Write the first 4 nonzero terms 50. of the series.
- 51. a) Find the Taylor polynomial of degree 4 for y = cos(x) with center a = 0.
  - b) Use the result to approximate cos(0.2).
  - c) Estimate the magnitude of the error in your approximation in part b.
- Find the Taylor Series for  $e^{\frac{x}{2}}$  centered at a=2 and use the Ratio Test to show that this series converges for all 52.
- 53. Convert to polar coordinates. Use r > 0 and  $0 \le \theta < 2\pi$ .
- b.  $(-2, -2\sqrt{3})$  c.  $(-\sqrt{3}, 1)$
- Convert the polar equation  $r = \frac{6}{\sin \alpha}$  to an equation in x and y. 54.
- Sketch the graph of  $r = 2 \cos \theta$  without using a graphing calculator. 55.
- a. Find the area inside of the region inside  $r = 2\sin(3\theta)$ . 56
  - b. Find the area of the region that is inside  $r = 2\sin(3\theta)$  and outside r = 1.

## **REVIEW PROBLEMS - Answers.**

PF

U

2.  $\frac{6}{k}\sqrt{kx} + C$ 

3.  $-\ln|x| - \frac{1}{2}\ln|x + 1| + \frac{3}{2}\ln|x - 3| + C$ 

4.  $-\frac{5}{3}\cos(3x) + C$  5.  $2\tan(3x) + C$ 

6.  $-\frac{1}{2}e^{-x^2}+C$ 

7.  $x \arctan x - \frac{1}{2} \ln |1 + x^2| + C$  8.  $-\frac{1}{10} \cos^5 2x + C$ 

 $-\ln|1-\sin x|+C$ 9.

10.  $x^2 + \ln|x| - \frac{3}{x} + C$ 

11.  $x+2e^{-x}-\frac{1}{2}e^{-2x}+C$ 

12.  $\frac{1}{20} \arctan \left( \frac{4x}{5} \right) + C$ 

 $\frac{1}{8}\cos^3 2x\sin 2x + \frac{3}{16}\cos 2x\sin 2x + \frac{3}{8}x + C \qquad 14. \quad -\frac{1}{\sqrt{3}}\ln\left|\frac{\sqrt{3+9x^2}+\sqrt{3}}{3x}\right| + C$ 

15.  $\frac{1}{3}x^2 \sin 3x + \frac{2}{9}x \cos 3x - \frac{2}{27}\sin 3x + C$ 

16.  $\frac{2x}{x^2+3}-\frac{2}{x-1}$ 

 $S = \left(-\frac{t}{3} - \frac{1}{9}\right)e^{-3t} + \frac{1}{9}$ 

18. 16.5°F

19. a.  $\frac{1}{2} \cdot 2(3+2\cdot 2+4) = 11$ 

b. The population increases by about 11 thousand from Jan. 1, 2009 to Jan. 1, 2014.

20. a. 0.1366

b. 0.1394 c. -0.0028 21.  $y = \sqrt[3]{-\frac{3}{2}\cos(t^2) + C}$ 

22.  $y = 3e^{x^2}$ 

23.  $\frac{1}{3}$  24.  $\frac{1}{2}$  25.  $\frac{3}{2}$ 

It is not in the form  $\frac{0}{0}$  or  $\frac{\infty}{\infty}$ . 26.

b.  $\infty$  (look at the graph)

27.

28.

29. Converges to 6 30. **Diverges** 

Converges to  $\frac{1}{2}$ 31.

32.

33. a. 
$$\int_{1}^{3} \sqrt{1 + 4x^2} \, dx$$

b. 8.268


34. 
$$\frac{125}{6}$$

35. 0.6 36. 140 ft - lb

37. 
$$W = \int_{0}^{8} \pi \frac{4}{9} y^{2} (15 - y) (62.5) dy = 27.78 \pi \int_{0}^{8} y^{2} (15 - y) dy$$

38. Hint: slope at (-2,1) is -1 and slope at (3,1) is 4

39.



	х	2	2.1	2.2	2.3
_	у	1	1	1.01	1.028

41. a. 
$$3, \frac{4}{3}, 1, \frac{6}{7}$$

a.  $3, \frac{4}{3}, 1, \frac{6}{7}$  b. yes,  $\frac{1}{2}$  c. diverges by the Test for Divergence

73.2 g 43. 280 ft 44.  $\frac{3}{8}$ 

C (Ratio Test) b. D (compare to  $\frac{1}{n}$ ) c. D (integral test)

C 47. 
$$\sum_{n=1}^{\infty} 3(-8x^3)^{n-1} \text{ for } -\frac{1}{2} < x < \frac{1}{2}$$
 48.  $\left(-\frac{5}{2}, \frac{1}{2}\right)$  and  $R = \frac{3}{2}$ 

48. 
$$\left(-\frac{5}{2}, \frac{1}{2}\right)$$
 and  $R = \frac{3}{2}$ 

49. 
$$\sum_{n=1}^{\infty} (-1)^{n-1} \frac{x^n}{n}$$
 and first 3 terms must be used.

$$50. \qquad x - \frac{x^2}{2} + \frac{x^3}{3} - \frac{x^4}{4}$$

51. a) 
$$1 - \frac{x^2}{2} + \frac{x^4}{24}$$
 b) .9800666667 c) approximately  $\frac{(.2)^6}{6!} = 8.9 \times 10^{-8}$ 

52. 
$$e^{\sum_{n=0}^{\infty} \frac{1}{2^n} \frac{(x-2)^n}{n!}}$$

53. a. 
$$\left(2\sqrt{2}, \frac{7\pi}{4}\right)$$
 b.  $\left(4, \frac{4\pi}{3}\right)$ 

c. 
$$\left(2, \frac{5\pi}{6}\right)$$

54. 
$$y = 6$$

56. a. 
$$\pi$$
 b.  $\frac{\pi}{3} + \frac{\sqrt{3}}{2}$  or 1.91

182reveiw.last revised summer2014